DT Readout Electronics

STATUS REPORT

CMS Week December 2002

HPTDC STATUS REPORT

5 waffers of the corrected HPTDC chip were obtained from the engineering run.

4 waffers have been delivered to Honk-Kong for dicing and packaging.

A problem in the industry



1756 chips (+ 630 chips if remaining waffer is packaged)

♦ They have arrived at CERN/MIC for testing.


yield from testing is about 50% (obtained from first 100 chips)



~600 chips for ALICE

~600 chips for CMS

that will only equip about 25 MC



We will need at least 1200 HPTDCs to equip a full wheel (50 MC)

Chips expected in Madrid in January 03.

ROB STATUS


Final PCB is under production, 1500 units expected by middle December.



Preliminary assembly plan:


```
50 ROBs in Feb 03
250 ROBs in Apr 03
600 ROBs in June 03
2400 HPTDC from production
600 ROBs in Nov 03
2400 HPTDC from production
```

♦ ROB production tests are ready:




→ Burn-in of all accepted ROB's: Monitored and operated. System is under development.

ROS STATUS










MINICRATES STATUS

→ Two MB1 are mechanically assembled. One of them was taken to Padova:

+ Read Out was assembled and tested.



- Final MB2 drawings are ready and small parts are being produced in Bologna.
- **♦** MB3 design is being finished at CIEMAT and a prototype will be produced in Madrid. Later it will be sent to Italy.

MB1 MINICRATE INSTALLATION IN PADOVA

- 5 ROBs
- 1 CCB/SB (with special clock board)
- 3 Patgen boards (Pattern generator)
- 1 Control X board (TTC control)
- **☞** 1 ROS-8
- Control and adquisition Labview software



MB1 MINICRATE INSTALLATION STATUS

Installed Minicrate has been tested in Padova and in Legnaro by the DAQ people (G. Maron, N. Tolino), they report:

"...The ROS readout is performed using a XDAQ framework and data are written into a flat file. Data are also spyed by a simple monitor program (based on root) and preliminary data check can be performed. ROS is configured by the XDAQ software, all the minicrate is configured via your LV program...."



Some problems have raised in their tests in Legnaro,



presumably due to clock noise because of the provisional TTC system.

PRODUCTION PLANS

CMS Week December 2002

PRODUCTION TERMS

HPTDCs

it takes about 6 months since they are submitted until they are received in Madrid.

ROBs

once we have the HTPDCs they could be mounted and tested in about 2 months.

MINICRATES

Readout assembly will be done by an industry at Madrid.


They have to be delivered to Italy.

Trigger items will be assembled in Italy.

MC delivered to CERN and installed in the chambers.

 \sim 6 months


CHAMBERS INSTALLATION SCHEDULE




Full production of HPTDC **ENDED** by June 03

MINICRATE INSTALLATION SCHEDULE


Variable MC production rate: <u>@8 MC/m</u> => <u>@</u>X MC/m



MINICRATE INSTALLATION SCHEDULE



MINICRATE INSTALLATION SCHEDULE



UMMARY:

From the readout point of view:

- First 25 Readout Minicrates would be available by middle 2003.
- Next MCs will depend on HPTDC availability.
- We must make every effort to accelerate HPTDC final production.

Full production depends on several aspects:

Validating HPTDC as soon as possible (testbeam,...) Agreement on full production $=> \sim 25000$ chips.

